





## DU700 PDX7X DIAGNOSTIC UNIT

The DU700 is a hands-free low energy Bluetooth diagnostic unit. The unit is compatible with Nortech's latest PDx7x parking detectors. The DU700 is capable of providing installation/service personnel with feedback of the detector loop installation and the detector configuration setup. This information is used to verify the correct operation of a parking detector installation.

The unit attaches to the front of any of the latest PDx7x parking detectors and acquires data from the detector via an optical link. A Nortech Diagnostic App is available for download for both iOs and Android smart devices from their respective stores. Data acquired from the parking detector is sent over a Bluetooth link to the App that displays the detector installation information. Data displayed includes the following; Loop excitation frequency, Loop frequency drift, Minimum and maximum detection level detected and detector DIP switch configuration. The App has the capability of generating a report based on the installation information gathered by the DU700 Diagnostic unit. This report may then be used for signing off a site.

## SPECIFIC FEATURES

- Compact, hands-free Bluetooth device
- A complete installation report generated for site sign off
- Performance checks on loop and installation
- Compatible with all PDx7x Parking detectors
- Operating range of up to 17m

## **TECHNICAL DATA**

Power Supply 1x 3 V, 240 mAh coin cell battery (CR2032)

Auto Power Off 2 Minutes after last operation

Visual Indications 1x bi-colour LED (Red and Green)

Frequency Resolution 1Hz

Sensitivity Resolution 0.001 % AL/L

Operating Systems iOS and Android

Storage Temperature -20°C to +80°C

Operating Temperature -5°C to +50°C

**Dimensions** 54mm (L) x 38mm (W) x 23mm (H)

Battery Life (Standby)

Approximately 1250 days

Battery Life (Continuous)

Approximately 17 hours

Operating Range ≤ 17 m

## ORDERING INFORMATION

**895FT7001** iDU700 Diagnostic Unit

